	Application No.	Applicant(s)	
Notice of Allowability	10/085,406	MICHELSON, GARY K.	
	Examiner	Art Unit	
	Michael B Priddy	3732	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. X This communication is responsive to <u>Amendment filed 11/04/2004</u> .			
2.  The allowed claim(s) is/are <u>1-115 and 160-165</u> .			
3. X The drawings filed on <u>01 March 2002</u> are accepted by the Examiner.			
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the: <ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No.</li> <li>Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> </ol> </li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> <li>7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.</li> </ul>			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 20041104& 20050111  4. Examiner's Comment Regarding Requirement for Deposit	5. ☐ Notice of Info 6. ☐ Interview Sur Paper No./N 08), 7. ⊠ Examiner's A	ormal Patent Application (PT	• •
of Biological Material	9.		

## EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Martin on 01/19/2005.

The application has been amended as follows:

- A) In line 3 of claim 33, "the drill" has been changed to -a drill--.
- B) In line 2 of claim 34, "the surgery" has been changed to –surgery--.
- C) In line 1 of claim 40, "38" should be -39--.
- D) In line 1 of claim 49, "52" should be -48--.
- E) In lines 2-3 of claim 51, "the bone removal device" should be –a bone removal device--.
- F) In line 1 of claim 105, "104" has been changed to –62—and in line 2, "the bone removal device" has been changed to –a bone removal device--.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael B Priddy whose telephone number is (571) 272-4717. The examiner can normally be reached on Mon.-Fri. 8 a.m. - 5 p.m..

Application/Control Number: 10/085,406

Art Unit: 3732

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Shaver can be reached on (571) 272-4720. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael B. Priddy

7**いん**ぱ 7ンインそり January 19, 2005

SUPERVISORY PATENY EXAMINER